



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/676,377	09/30/2003	Ulrich Neumann	06666/156001/USC-3345	3241
20985	7590	11/28/2005	EXAMINER	
FISH & RICHARDSON, PC P.O. BOX 1022 MINNEAPOLIS, MN 55440-1022			WOODS, ERIC V	
			ART UNIT	PAPER NUMBER
			2672	

DATE MAILED: 11/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/676,377

Applicant(s)

NEUMANN ET AL.

Examiner

Eric V. Woods

Art Unit

2672

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 August 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-23, 25, 26, 29-31, 33, 34, 37-41 and 45-49 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 12 and 22 is/are allowed.
- 6) ☒ Claim(s) 1-11, 13-21, 23, 25, 26, 29-31, 33, 34, 37-41 and 45-49 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 30 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Information Disclosure Statement

The information disclosure statement (IDS) submitted on 8 August 2005 was filed after the mailing date of the previous Office Action on 4 May 2005. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the examiner is considering the information disclosure statement.

Citation AE is not in conformance with standard Office Policy. The submitted copy of that reference is defective. It has the phrase "<http://www.pdf-tools.com>" written in large black, bold letter diagonally across all pages that make it extremely difficult to read. Nonetheless, examiner has considered such a reference, but applicant is **required** to submit a clean copy under 37 CFR 1.97/1.98, since applicant has determined that such a reference could be relevant and has submitted such, examiner has the right to require a clean, legible copy.

Priority

Applicant's claim for domestic priority is **denied**. Examiner cannot easily determine which claims should receive CIP status and which consist entirely of new or added material that deserves of the original US filing date. As such, all claims will be given the actual filing date of the present US application. Applicant's lengthy specification and substantial filings of multiple IDSes encompassing over a hundred references with thousands of pages total to review have placed an undue and excessive burden on the examiner and the Office already. As such, applicant is required to clarify which claims receive which priority dates. The specification of the instant application is

Art Unit: 2672

43 pages long and has 8 pages of drawings; the parent application that it is claimed as a CIP of consists of a specification having 17 pages and 2 pages of drawings.

Examiner will assume that all material added is new and only receives the US filing date.

Further, the provisional application filed 15 August 2002 is not substantially identical to the instant application. Including drawings, it is only 13 pages long, and it is a conference paper, not the specification of an application. The present US case has a 43-page specification and 8 pages of drawings for a total length of 51 pages. Therefore, the burden is on applicant to show that such claims in the instant application deserve priority from either 60/418,841 and/or 10/278,349.

Further, such priority claims must show clearly where support is found in the parent application(s) for each claimed element on a column number, line number and/or paragraph basis.

Response to Arguments

Applicant's arguments, see pages 1-12 of Remarks, filed 8 August 2005, with respect to the rejection(s) of claim(s) 1-44 under 35 U.S.C. 103(a) have been fully considered and are persuasive in some respects.

The objection to the title stands withdrawn since applicant has amended the title (Remarks page 1).

Applicant's arguments that the Summary section and various other features of the specification are suggested but not mandatory on pages 1-2 of Remarks are found

Art Unit: 2672

to be persuasive. Therefore, the objections to the specification in paragraphs 5 and 6 of the previous Office Action stand withdrawn.

The objections to the disclosure because of various informalities stand withdrawn because applicant has corrected these deficiencies.

Upon further examination of the specification, particularly paragraphs [0032] and [0061], examiner finds that applicant's assertion that a stereo camera is not necessary to be correct, as stated in Remarks page 2, last four lines, and the majority of page 3.

The rejections of claims 1-44 under 35 U.S.C. 112, first paragraph, under *In re Mayhew*, are therefore withdrawn for the above reasons.

The rejections of claims 1-44 under 35 U.S.C. 112, second paragraph, for the use of the term 'image sensor' stand withdrawn in view of applicant's clarifications as above, since as applicant pointed out, other image sensors apply.

The rejections of claims 28 and 36 under 35 U.S.C. 112, second paragraph due to relative terminology stand withdrawn because applicant has amended the claims to remove the offending term (Remarks page 4).

The rejections of various claims 24, 27, 28, 32, 35, 36, and 42-44 under 35 USC 103 stand withdrawn since the claims have been canceled (Remarks page 1).

The objections to claims 12, 22, 29, and 37 as being dependent upon rejected base claims stands withdrawn since these claims have been made independent (Remarks page 4).

Art Unit: 2672

However, upon further consideration, a new ground(s) of rejection is made in view of various references, including new ones brought up by applicant's submission of the IDS of 8 August 2005.

They were rewritten in independent form, for the reasons indicated in the previous Office Action.

Allowable Subject Matter

Claims 12 and 22 are allowed for at least the reasons cited in the previous Office Action. They have been brought into independent form.

Claims 29 and 37 were modified by applicant into independent format but are subject to an improper broadening amendment. Therefore, the allowability of such claims is **withdrawn**. See the rejection of such claims under 35 U.S.C. 112 below. Applicant is further put on notice that if the phrase "at least" is not deleted from the claims, they **will** be finally rejected. If applicant removes the improper broadening language (the "at least") the claims will be allowed. Further, applicant is put on notice that if such broadening language is not removed, the claims will also be rejected under 35 U.S.C. 103(a).

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 25-26, 29-31, 33-34, and 37-39 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s)

Art Unit: 2672

contains subject matter that was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Specifically, the specification does not show evidence that greater than five frames were used for the averaging technique proposed.

Claims 25-26, 29-31, 33-34, and 37-39 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. Specifically, the specification is not enabling for more than five frames being used in the averaging technique. Furthermore, extrinsic evidence clearly shows that the use of various numbers of frames in the averaging technique can produce very different results. Examiner will provide numerous citations to this effect if requested to do so. A further, more technical explanation will be provided as well in the next response should applicant so request.

Examiner contends that applicant has established criticality for the use of five frames in the averaging technique, which therefore would render the use of "more than five" frames into an area where the results would be at best unpredictable and at worst undesirable. Further, optimizing such a number of frames would require undue experimentation under *In re Wands*, since applicant points out that five frames has a specific benefit, as per the specification. A fuller, more complete and detailed response

Art Unit: 2672

entailing all of the *In re Wands* factors will also be made in the next response should applicant fail to remove the broadening language.

Specifically, claims 29 and 37 have these defects, and claims 25-26, 30-31, 33-34, and 38-39 are dependent upon them but fail to correct the deficiencies of their parent claim(s).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1, 5, 11, 14, and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawasaki (reference AAA, IDS submitted with last response, 8/8/05) in view of Haala and Wang (reference AQ, IDS submitted with last response, 8/8/05).

As to claim 1,

As to claims 1, 14, and 40,

Art Unit: 2672

A method comprising:

- Generating a three dimensional model of an environment from range sensor

information representing a height field for the environment; (Haala section 1, pgs. 105-106, see especially Fig. 1 where part of a 3-D model derived from an airborne LIDAR range sensor is shown, where clearly this constitutes a "height field" for the urban environment)

- Tracking orientation information of at least one image sensor in the environment with

respect to the three-dimensional model in real-time; (Kawasaki, section 3.2 and 3.3

(pages 14-15), where a vehicle is equipped with GPS is used, where this clearly

teaches tracking orientation/position information of the at least one image sensor, note

in section 3.3 it clearly states that a car using GPS and multiple cameras is used, and it

states very clearly on page 14 in section 3.2 that the system uses a digital map, which is

comparable to the three-dimensional model, see for example sections 4.1-4.2 on pages

16-17, where the digital map is shown, where clearly tracking position with respect to

the map is inherent because streaming video is shown in Figure 14, where such video

can clearly be placed into the environment for matching purposes, see Figure 15 where

the user has a streaming video that is put into the system and the user asks questions /

queries the system concerning some feature in the real-time video stream, and clearly

this is done in real-time, as in section 4.1, where (pages 16-17). Clearly, for the system

to be able to maintain a correlation between vehicle location on the digital map and the

input system, the tracking must be done in real-time, particularly since it uses streaming

Art Unit: 2672

video and allows real-time query and answer as noted above.)(Wang teaches that the user location is tracked in real-time – see page 5, section 3.1)

-Projecting real-time video imagery information from the at least one image sensor onto the three dimensional model based on the tracked orientation information; and

(Kawasaki page 17, section 4.2 – “All divisions are done automatically by projection the corresponding edge pattern obtained by the DP matching...” Clearly, also see section 4.3, where the geometric model is constructed and the texture data is placed onto such a model, where the texture data is put (projected) onto a three-dimensional

model.)(Wang clearly teaches real-time video visualization, see section 3.1 on page 5, and the video avatar is mapped onto the three-dimensional model; see page 7. The video image is back-projected onto a static head model using a projective texture matrix, where this clearly represents mapping the video imagery to the three-dimensional model. Note section 3.3.2, where the projective transformation is clearly described as being “...as if the camera is being replaced by a slide-projector which projects the images back onto the model.)

-Visualizing the three-dimensional model with the projected real-time video imagery.

(The system of Kawasaki clearly teaches that 3D maps can be made by this system in VRML, where the environment is visualized based on the texture data placed on the three-dimensional map (see Figure 19 for example))(Wang -- Results are clearly

visualized, as in Figure 5, where the video avatar representing a remote user is shown.

The video image is projected onto the 3D head model, which clearly shows the required system.)

The Kawasaki reference teaches a system that takes in video and matches it to a digital map. The reference does not expressly state whether or not the map is two or three-dimensional, but such maps are typically generated (at least in the United States) using government-provided DEM (digital elevation models) that are overlaid on existing street maps or the like, and thusly have at least some indication of altitude and/or height (examiner takes Official Notice on this topic as well), and it is notoriously well-known in the art as well as being obvious that such maps would and/or could be three-dimensional), and generates a final output result that includes a VRML map of the viewed area. Clearly, since the tracking is done in real-time (e.g. the real-time question-and-answer / query system, the use of "streaming" video which is well-known in the art to indicate real-time video), and the like. The reference does not expressly teach the use of 3D model generated from airborne telemetry, but such a 3D model is also equivalent to a 3D map. In any case, such representations are well known in the art. Further, as noted extensively above, the Kawasaki reference teaches that the textures and video are projectively mapped onto a three-dimensional model or other limitations.

The Haala reference teaches the use of an airborne LIDAR platform that obtains three-dimensional height data and then overlays it with information from a 2-D GIS to form a three-dimensional representation of urban terrain. This system is a perfect example of sensor fusion to create the three-dimensional system database or geospatial database of Kawasaki that is required. Further, Haala clearly teaches the combination of DSM (Digital Surface Models) and existing 2D GIS databases on the geometry and usage of buildings in combination with digital maps, therefore the

Art Unit: 2672

combination of all of the above for the digital map of Kawasaki would be credible.

Further, Haala illustrates another point, and that is that simply because a 3D model has been created, there is not necessarily video or texture data for the surfaces of the buildings, merely height information.

The combination of the Kawasaki reference and the Haala reference is appropriate for several reasons; firstly, the Kawasaki reference does not cover height information per se, wherein the models are formed but the actual height information is never discussed per se, and the Haala reference allows for the inclusion of such data in the output VRML model; secondly, Haala provides a 3D model but without texture data of the buildings at street level, which Kawasaki clearly provides. The combination of these two references complement each other very clearly, and further allows Kawasaki to include data from DSMs, 2D GIS models, and many other data sources not specifically taught in the generic "digital maps" of Kawasaki. Further, for Kawasaki to accurately represent buildings in VRML, the system must have some source of height data, thus lending support to the previous contention that the "digital maps" of Kawasaki must prima facie include height data and/or be three-dimensional for at least the above reasons.

Kawasaki provides a three-dimensional visualization capability, where textures are obtained and then mapped to the 3D models of the buildings.

The Wang reference clearly teaches taking input, real-time video and mapping it to a virtual environment containing three-dimensional avatars and other elements of a 3D model, see for example Figure 6 on page 11, Figure 7 on page 12 particularly,

where the user can clearly navigate through a three-dimensional environment with the avatar, which clearly shows the idea of mapping real-time video to the three-dimensional environment as required by the claim.

Kawasaki does not expressly teach that the textures are derived from the streaming video, but such capabilities would be obvious since the VRML output model is generated, and the system takes in real-time streaming video and allows the user to query the system concerning elements in the video stream to obtain information. That clearly requires that the data go into the system. It would be obvious that such data could supplant or augment that of the stored textures (for example, building surface under different lighting conditions and the like). Next, for visualization purposes such information would be useful, because the textures must be back-projected anyway, as in Wang, and Kawasaki is relatively silent on the details of the projection process. Specifically, Wang provides extensive implementation details for how such textures are mapped onto existing three-dimensional models. More specifically, Wang allows video imagery to be projected onto portions of three-dimensional models. Both the implementation and concept of Wang are important, the implementation because it specifically fills in methods for how Kawasaki would perform such transformations and projective mapping, and the concept of allow video to be a texture. This would therefore expressly teach the combination of video textures with the three-dimensional model with the textures of Kawasaki (and secondarily, of Haala). Therefore, for at least the above reasons, it would have been obvious to one of ordinary skill in the art at the time the

Art Unit: 2672

invention was to combine Kawasaki with Haala and then to use the projective mapping techniques and video textures of Wang in the resultant three-dimensional models.

Applicant is further put on notice that the combination as modified as above would be operative and would not change the principles of operation of the device, nor do any of the references teach away. If applicant chooses to dispute this point, examiner will supply extremely thorough and detailed analyses of the references, various references and other external evidence, and the relevant case law in the resultant final rejection that will serve as the basis for the Examiner's Answer.

As to claim 4, clearly the system of Kawasaki teaches the use of multiple cameras, as noted above.

As to claim 5, the Haala reference clearly teaches different levels of detail in Figs. 2 and 3, and Fig. 1 clearly shows the grid used to hold the data after it is captured (pgs. 106-107). Specifically, in the conclusion on pg. 111 teaches that varying the level of detail is known in the art, e.g. "The level of detail, which can be reached for a reconstitution has to be examined depending on the density of measured laser points." Based on these statements, it is obvious that the points are projected onto a regular grid in any case (based on rejection to claim 1 above, where projection is taught) – the case of user-defined resolution is as taught above; the reference teaches that it would have been obvious to modify the reference to use multiple resolutions or levels of detail. Motivation and combination are taken from the parent claim.

As to claim 11, Kawasaki clearly teaches in section 3.1 the acquisition of depth from the video stream based on motion vectors and the like. Clearly, in Figure 19 on the

last page of the Kawasaki reference, the VRML viewer shows the image based on position, e.g. occluded portions because of depth are not shown; this is inherent in the functioning of the VRML viewer, since occluded areas are not shown; further, Wang clearly teaches navigating through a 3D landscape with the avatars, such that if an avatar is turned away from the viewer, the avatar's video face would not be visible, which teaches depth map coverage by occlusion as required. Any other differences would be obvious.

As to claim 21, the system of Kawasaki clearly utilizes GPS inputs as discussed in sections 3.2-3.3, pages 14-15.

Claims 2-3, 7, 18, and 41 and 45-49 are rejected under 35 U.S.C. 103(a) as unpatentable over Kawasaki, Haala, and Wang as applied to claim 1 above, and further in view of Watanabe et al (US PGPub 2001/0005425).

As to claims 2 and 41, this is similar to claim 1, the rejection to which is incorporated by reference. The main difference is the added limitation of -Wherein generating the three dimensional model comprises identifying a structure in the range sensor information, identifying different sections of the structure, selecting geometric primitives for the different sections of the structure based at least in part on input from a person regarding different shapes of the different sections, and parametric fitting of the geometric primitives to the range sensor information.

Haala teaches in section 2 (page 106) that the generation of the three-dimensional model relies on the extraction of geometric primitives that correspond to

Art Unit: 2672

items like a roof of a building, and this data is of course from the range sensor.

Specifically, the first sentence of section 2.1 (page 107) specifically states, "range image segmentation, which aims at dividing the object surface into patches that can be described parametrically ..." The work of Haala does not teach away from this, merely stating in the next line that their work is limited to a subset of that because that is all that is necessary, with multiple algorithms tested for use in their system. Haala further teaches that different sections of the structure are recognized based on the height of eaves, roofs and the like.

The systems of Haala, Wang, and Kawasaki do not expressly teach where the geometric primitives are in fact chosen at least in part by input from a person. The system of Watanabe teaches that a plurality of images are input and a base three-dimensional object is shown, where the user then selects portions of the model that correspond to each other from the images and corrects the underlying model (see [0038-0042]). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the system of Watanabe with that of Haala et al as above, because the system of Watanabe allows for the correction of three-dimensional models based on the various input images, where the user can clarify the relationships between different portions of the input image and correct the deficiencies, e.g. any potential gaps or areas where the correspondence is not quite correct, which would clearly benefit the system of Haala as combined with the other systems above. See as an example, Figure 3 of Watanabe, where buildings are classified into various types and

Art Unit: 2672

the user can manipulate them as required, where the user can select a model in Figure 4, and various examples of geometries are shown in Figures 5-9.

As to claims 3, 46, and 48, Watanabe clearly teaches that the primitives can have different types, such as rectangular solid, sphere, cylinder, and the like – see [0048], and it is well known in the art to use such elements, and clearly the user selects the primitive that best fits the model data, as in [0041], where the use parametric best fitting would be obvious in light of Haala as discussed above. A cube is clearly a type of rectangular solid, and a cuboid primitive would be such as well.

As to claim 7, Haala is a LIDAR system (specifically, see pg. 106, section 1, or the tagline on Fig. 1, “DSM measured by airborne laser scanning.” Motivation and combination are incorporated by reference from the parent claim.

As to claim 18, the first part of the claim is identical to claim 14, the rejection to which is incorporated by reference. Further, the latter part of the claim is identical to claim 2 above, which is incorporated by reference as well.

As to claims 45, 47, and 49, examiner contends that Watanabe clearly teaches that such primitives (cuboid, sphere, and the like) are possible for such applications, and thusly would be covered, since ‘including’ is open ended and does not require all elements be present. Further Haala teaches that such structures can be analyzed and segmented without ground plan information.

Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kawasaki,

Art Unit: 2672

Haala, Wang, and Watanabe as applied to claim 2 above, and further in view of Arpa et al (US 2003/0085992 A1).

As to claim 4, references Kawasaki, Wang, Haala, and Watanabe do not expressly teach this limitation, while Kawasaki does teach the use of multiple cameras. Reference Arpa teaches this limitation, specifically in Fig. 1 where multiple cameras (108, 110, 114) are shown being linked to an image processor, where the system in Fig. 2 then takes all the video inputs and projects them onto a 3D model using 3D model generator 210; the results are shown in for examples Figs. 7 and 8 where an object that is moving is tracked (see [0026-0028]). Clearly, the system of Arpa projects the results of multiple video cameras onto a known three-dimensional model of a scene. The specific limitation of "refining the three-dimensional model based on object surfaces" is clearly performed by Haala, as for example in Figs. 10-13, where initial reconstruction of the scene is shown and the adjusted or corrected version is shown (which is comparable to the recited "further ... refining" recited in the claim).

Clearly, It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine the systems of Kawasaki, Haala, and Wang with that of Arpa, as the system of Kawasaki teaches the use of one camera and multiple cameras under various circumstances, but does not discuss if the cameras overlap or similar; the system of Arpa would prima facie enhance the capability of that system by allowing it handle multiple cameras (Note that claims 15 and 20 are very similar to / obvious variants of one another and are covered by the above rejection). Arpa is an analogous art.

Claims 10, 15, 16, and 17 are rejected under 35 U.S.C. 103(a) as unpatentable over Kawasaki, Haala, and Wang as applied to claims 1 and 14 above, and further in view of Arpa.

As to claim 10, the system of Arpa clearly covers the scenario of both multiple image sensors as shown above, and claim 1 itself teaches the application of real-time video imagery information. The limitation of multiple video streams being projected onto the three-dimensional variant is taught by Arpa, where all the views of the cameras are incorporated into the 3D model so that a user can choose between desired views with respect to the structural model, for example Figs. 1 and 2. Motivation and combination are taken from the rejection to claim 4 above.

As to claim 15, reference Arpa teaches this limitation, specifically in Fig. 1 where multiple cameras (108, 110, 114) are shown being linked to an image processor, where the system in Fig. 2 then takes all the video inputs and projects them onto a 3D model using 3D model generator 210; the results are shown in for examples Figs. 7 and 8 where an object that is moving is tracked (see [0026-0028]). Clearly, the system of Arpa projects the results of multiple video cameras onto a known three-dimensional model of a scene. The specific limitation of "refining the three-dimensional model based on object surfaces" is clearly performed by Haala, as for example in Figs. 10-13, where initial reconstruction of the scene is shown and the adjusted or corrected version is shown (which is comparable to the recited "further ... refining" recited in the claim).

Art Unit: 2672

Clearly, It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine the systems of Kawasaki, Haala, and Wang with that of Arpa, as the system of Kawasaki teaches the use of one camera and multiple cameras under various circumstances, but does not discuss if the cameras overlap or similar; the system of Arpa would prima facie enhance the capability of that system by allowing it handle multiple cameras (Note that claims 15 and 20 are very similar to / obvious variants of one another and are covered by the above rejection). Arpa is an analogous art.

As to claim 16, Arpa clearly teaches in [0036] that such video can recorded, rewound, replayed, and the like, thusly teaching the use of pre-recorded video imagery.

As to claim 17, Arpa teaches in Fig. 8 the use of a 'synthetic' view to show the location of a moving object, which is equivalent to the recited limitation of computing the view of the virtual camera from a viewpoint not that of one of the image sensor; see [0047] specifically for the details on how the virtual camera works. Motivation and combination is taken from the rejection to claim 15 and incorporated by reference.

As to claim 20, this is a duplicate of claim 15, the rejection to which is incorporated by reference, where Arpa clearly teaches refining the image.

Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kawasaki, Haala, and Wang as applied to claim 1 above, and further in view of Weinhaus et al (Weinhaus, F. and V. Devarajan. "Texture Mapping 3D Models of Real-World Scenes.")

Art Unit: 2672

As to claim 6, references Kawasaki, Haala, and Wang do not expressly teach this limitation except that Haala discusses filling gaps in the images using parametric fitting, while reference Weinhaus teaches the limitations of tessellation and hole filling on pg. 349 where it is stated that terrain elevation tiles are tessellated into triangular meshes and on pg. 346 where methods using point-projection methods to fill holes. Therefore, it would have been obvious to modify the combination of Kawasaki and Haala as modified by Wang to use the techniques recited in Weinhaus to further refine and correct the three-dimensional models generated during the process, given that in pgs. 340-347 several different techniques are given for performing texture mapping on height-based data sets using projective techniques.

Claim 19 is rejected under 35 U.S.C. 103(a) as unpatentable over Kawasaki, Haala, Wang, and Watanabe as applied to claim 1 above, and further in view of Bar.

As to claim 19, it is substantially the same as claim 6, with the additional limitation of using a user-defined resolution is met in the rejection to claim 6 above, which uses only the Kumar and Haala references. Motivation and combination is taken from claim 6 above and incorporated in its entirety by reference.

Claim 8 is rejected under 35 U.S.C. 103(a) as unpatentable over Kawasaki, Haala, and Wang as applied to claim 1 above, and further in view of Jiang et al (reference All in the first IDS filed on 4 March 2004, B. Jiang, U. Neumann, "Extendible Tracking by Line Auto-Calibration.")

As to claim 8, Kawasaki clearly teaches tracking camera orientation using line and edge orientation of buildings so that it can be fitted to the final model. Likewise, the GPS systems of Kawasaki clearly allow the user to extract both position and orientation information anyway (bearing is derivative of positional data over time), which is tracked on the maps anyway, which would prima facie allow the user to determine orientation, and clearly Kawasaki teaches this limitation anyway (section 3.1, page 14), and Haala also suggests matching 2D GIS information and/or other sources of data on ground structures to LIDAR data for correction of errors in various places. All of the above fairly suggest estimating the camera pose from features in the images.

In the interests of expediting prosecution, reference Jiang is brought in. Jiang clearly teaches in Figure 2 and sections 2 and 3 the use of camera tracking and line auto-calibration, where the system allows the extension of tracking using optical measurements such that it can use lines to navigate to track its location and particularly to determine camera pose (see Figures 5 and 6 on page 5 of the document, captions 'camera pose was estimated both from pre-calibrated landmarks and auto-calibrated line features').

It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide for a method of explicitly tracking camera orientation / pose as provided by Jiang, because such methods inherently improve the data set by allowing tracking of orientation (and location) in regions where GPS may not work (e.g. urban canyon situations) and further by allowing explicit tracking of camera position and

Art Unit: 2672

pose via optical features as set forth therein. Therefore, such a modification and/or inclusion would be beneficial for at least the above reasons and proper.

As to claim 9, clearly Kawasaki teaches the use of GPS sensors in sections 3.2-33, on pages 14-15.

Claims 13 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kawasaki, Haala, and Wang as applied to claim 1 above, and further in view of Pryor et al (US 2004/0046736 A1)('Pryor').

As to claims 13 and 23, references Kawasaki, Haala, and Wang do not expressly teach this limitation, but Wang does teach a VR type interface, where users can navigate avatars with video textures and the like. Reference Pryor teaches the use of a virtual reality type user interface wherein large images are projected onto a screen, such as a wall screen [0043, 0056] and that many input devices, such as a head tracker are well known in the art and can be used with the invention of Pryor [0009, 0067, 0083-0085, particularly 0105 where it says that the user's head can be tracked for purposes of motion determination]. It would have been obvious to one having ordinary skill in the art at the time the invention was made to combine the systems of Kawasaki, Haala, and Wang with that of Pryor, given that in [0056] it is taught that using large screens makes it easier to interact with imagery and obviously this would facilitate data visualization and similar with the combination of Kawasaki, Haala, and Wang, particularly with Wang.

Claims 45, 47, and 49 are rejected under 35 U.S.C. 103(a) as unpatentable over Kawasaki, Haala, Wang, and Watanabe as applied to claims 3, 46, and 48 above, and further in view of Chen et al (US PGPub 2003/0147553).

References Kawasaki, Haala, and Wang do not expressly teach this limitation. Watanabe clearly teaches the use of cylinder, cuboid, and similar primitives as discussed in the previous paragraph. While examiner maintains that since the above references teach all the limitations (e.g. Watanabe provides all the primitives required and Haala can function without them), in order to expedite prosecution, the Chen reference is brought in.

The Chen reference teaches the use of a roof primitive for reconstructing structural data, which clearly would apply to the system of Haala and Kawasaki. The roof-primitive [0018] and [0025-0032] clearly teach how images can be split when there is a shared edge, which would clearly facilitate the process of segmenting out buildings and the like in Haala. Therefore, for at least the above reasons, it would have been obvious to one of ordinary skill in the art to use the methods of Chen to avoid occluded corners and other defects [0017-0018], where the system is semi-automatic, therefore allowing the user to select various elements of the process as required by claim 2 and would improve the refinement capabilities of Watanabe.

Conclusion


Applicant's submission of an information disclosure statement under 37 CFR 1.97(c) with the fee set forth in 37 CFR 1.17(p) on 8 August 2005 prompted the new ground(s) of rejection presented in this Office action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eric V. Woods whose telephone number is 571-272-7775. The examiner can normally be reached on M-F 7:30-4:30 alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Razavi can be reached on 571-272-7664. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Eric Woods


Jeffrey A. Brin
PRIMARY EXAMINER

November 15, 2005